

Letters and scripts

Each expression appears at normal size, in a superscript and in a nested superscript.

01 Latin letters and digits

$$\begin{aligned} A, B, C, \dots, X, Y, Z & \quad a, b, c, \dots, x, y, z & \quad 0, 1, 2, \dots, 9 \\ 2^{A, B, C, \dots, X, Y, Z} & \quad a, b, c, \dots, x, y, z & \quad 0, 1, 2, \dots, 9 \\ 2^{2^{A, B, C, \dots, X, Y, Z}} & \quad a, b, c, \dots, x, y, z & \quad 0, 1, 2, \dots, 9 \end{aligned}$$

02 Greek letters

$$\begin{aligned} \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega & \quad \alpha, \beta, \gamma, \delta, \varepsilon, \theta, \varphi, \omega \\ 2^{\Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega} & \quad \alpha, \beta, \gamma, \delta, \varepsilon, \theta, \varphi, \omega \\ 2^{2^{\Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega}} & \quad \alpha, \beta, \gamma, \delta, \varepsilon, \theta, \varphi, \omega \end{aligned}$$

03 Cardinals and relations

$$\begin{aligned} \aleph_\alpha \times \aleph_\beta = \aleph_\beta & \Leftrightarrow \alpha \leq \beta \\ 2^{\aleph_\alpha \times \aleph_\beta = \aleph_\beta} & \Leftrightarrow \alpha \leq \beta \\ 2^{2^{\aleph_\alpha \times \aleph_\beta = \aleph_\beta}} & \Leftrightarrow \alpha \leq \beta \end{aligned}$$

04 Limits and implications

$$\begin{aligned} |x - a| < \delta & \Rightarrow |f(x) - L| < \varepsilon \\ 2^{|x - a| < \delta} & \Rightarrow |f(x) - L| < \varepsilon \\ 2^{2^{|x - a| < \delta}} & \Rightarrow |f(x) - L| < \varepsilon \end{aligned}$$

05 Sets and topology

$$\begin{aligned} \{x \mid x \neq x\} = \emptyset & \quad (A \cap B)^\circ \subseteq A^\circ \cap B^\circ \\ 2^{\{x \mid x \neq x\} = \emptyset} & \quad (A \cap B)^\circ \subseteq A^\circ \cap B^\circ \\ 2^{2^{\{x \mid x \neq x\} = \emptyset}} & \quad (A \cap B)^\circ \subseteq A^\circ \cap B^\circ \end{aligned}$$

06 Tensor indices

$$\begin{aligned} R_{ijkl} = -R_{jikl} = -R_{ijlk} = R_{klij} \\ 2^{R_{ijkl} = -R_{jikl} = -R_{ijlk} = R_{klij}} \\ 2^{2^{R_{ijkl} = -R_{jikl} = -R_{ijlk} = R_{klij}}} \end{aligned}$$

Calculus and compound expressions

Each expression appears at normal size, in a superscript and in a nested superscript.

07 Composition and derivatives

$$(f \circ g)'(x) = f'(g(x)) g'(x)$$

$$2^{(f \circ g)'(x) = f'(g(x)) g'(x)}$$

$$22^{(f \circ g)'(x) = f'(g(x)) g'(x)}$$

08 Differential forms

$$d\omega = \left(\frac{\partial Q}{\partial x} - \frac{\partial P}{\partial y} \right) dx \wedge dy$$

$$2^{d\omega = \left(\frac{\partial Q}{\partial x} - \frac{\partial P}{\partial y} \right) dx \wedge dy}$$

$$22^{d\omega = \left(\frac{\partial Q}{\partial x} - \frac{\partial P}{\partial y} \right) dx \wedge dy}$$

09 Vector fields

$$X = \sum_i \xi^i \frac{\partial}{\partial x^i} + \sum_j \eta^j \frac{\partial}{\partial \dot{x}^j}$$

$$2^{X = \sum_i \xi^i \frac{\partial}{\partial x^i} + \sum_j \eta^j \frac{\partial}{\partial \dot{x}^j}}$$

$$22^{X = \sum_i \xi^i \frac{\partial}{\partial x^i} + \sum_j \eta^j \frac{\partial}{\partial \dot{x}^j}}$$

10 Gaussian integral

$$\int_{-\infty}^{\infty} e^{-x^2} dx = \sqrt{\pi}$$

$$2^{\int_{-\infty}^{\infty} e^{-x^2} dx = \sqrt{\pi}}$$

$$22^{\int_{-\infty}^{\infty} e^{-x^2} dx = \sqrt{\pi}}$$

11 Piecewise expressions

$$f(x) = \begin{cases} x^2, & x \geq 0, \\ -x^2, & x < 0. \end{cases}$$

$$2^{f(x) = \begin{cases} x^2, & x \geq 0, \\ -x^2, & x < 0. \end{cases}}$$

$$22^{f(x) = \begin{cases} x^2, & x \geq 0, \\ -x^2, & x < 0. \end{cases}}$$

12 Products and annotations

$$\underbrace{V \times \cdots \times V}_k \times \underbrace{V \times \cdots \times V}_l = V^{k+l}$$

$$2^{\underbrace{V \times \cdots \times V}_k \times \underbrace{V \times \cdots \times V}_l = V^{k+l}}$$

$$22^{\underbrace{V \times \cdots \times V}_k \times \underbrace{V \times \cdots \times V}_l = V^{k+l}}$$

Styles, spacing and accents

13 Math alphabets

$ABCxyz$ **ABCxyz** $\mathcal{ABCxyz}$ $\mathbb{CHNRZ}$

14 Primes

f' f' f'' f'' f''' f'''
 x_i' x_i' $f'(x) + g''(x) + h'''(x)$

15 Ordinary spacing and scripts

$f1$ $f0$ fA $f\alpha$ $V1$ $W1$ $j1$ ff fi
 f_i f^2 f_i^2 $X_f + X_j + X_p + X_y + X_A + X_M$

16 Single-character accents

$\hat{x}$ $\tilde{y}$ $\check{z}$ $\bar{M}$ $\vec{A}$ $\dot{r}$ $\ddot{r}$

17 Wide accents

$\widehat{xy}$ $\widehat{xyz}$ $\widehat{x + y + z + w}$
 $\widetilde{xy}$ $\widetilde{xyz}$ $\widetilde{x + y + z + w}$

18 Bars and overlines

$\bar{M}$ $\overline{xy}$ $\overline{x + y + z + w}$

19 Radicals

$\sqrt{x}$ $\sqrt{x^2 + y^2}$ $\sqrt[n]{\frac{a}{b}}$ $\sqrt{\frac{1 + \sqrt{1 + x^2}}{2}}$

Braces, delimiters and operators

20 Overbraces

$$\overbrace{A} \quad \overbrace{ABCDEF} \quad \overbrace{ABCDEFGH IJKLMN}$$

21 Underbraces

$$\underbrace{A} \quad \underbrace{ABCDEF} \quad \underbrace{ABCDEFGH IJKLMN}$$

22 Brace annotations

$$\overbrace{a_1 + a_2 + \cdots + a_n}^{n \text{ terms}} \quad \underbrace{x_1 x_2 \cdots x_m}_{m \text{ factors}}$$

23 Tall delimiters

$$\begin{pmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \end{pmatrix} \quad \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

24 Nested fractions and delimiters

$$\left\{ \frac{1}{1 + \frac{1}{1+x}} \right\} \quad \left\langle \frac{u+v}{\sqrt{1+\|u\|^2}}, w \right\rangle$$

25 Limits and large operators

$$\sum_{k=0}^n \binom{n}{k} x^k y^{n-k} = (x+y)^n$$

$$\int_0^1 \frac{dx}{\sqrt{1-x^2}} = \frac{\pi}{2} \quad \prod_{k=1}^n \frac{k+1}{k} = n+1$$